

**Prüfbericht 366-0257-17-WIRD  
zur Erteilung der ECE (E1) 124R- 001339**

ANLAGE: 9.1

Hersteller: MW Aftermarket Srl

Radtyp: 17755108-110

Stand: 18.10.2017



Seite: 1 von 1

**Manufacturer** : FORD**Wheel dates:**

Wheel size according to standard : 7 1/2 J X 17 H2 Off set(mm) : 52,5

Hole circle (mm)/number of holes : 108/5 centering type : centering fixed

**Technical dates, short form**

version	Version name		Centering hole (mm)	Centering material	Permissible wheel Load (kg)	Permissible rolling Circumference (mm)	Valid from Production date
	Wheel identification	Centering identification					
R1-1983	R1-1983	Without	63,35		618	2105	06/17

Prescribed systems in the vehicle must be functioning with the use of the described rim combination.

**Scope/Vehicle Manufacturer** : FORD

Mounting parts : conical collar nut M12x1,5, tapered thread 60 Grad

Tightening torque for fixing parts : 130 Nm

commercial type: **FORD C-MAX / KUGA**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
DM2	e13*2001/116*0109*..	85 -134	235/55R17 M+S		*); Kuga only; incl. Facelift 2017; 1); 2); 33)
		85 -147	235/55R17		

\*) The remarks under the listed restrictions/conditions are to be kept. If additional trademarks or sale- names are listed, so there are only this vehicles permissible. All other vehicles to this one application are not concerned.

**Restrictions**

- 1) To be kept:
  - the standard wheel size and offset.
  - tyre size with service description (load and speed index) and tyre brand commitments
  - as well as limitations to snow tyres (M+S) from the car documents.
  - requirements and limitations of snow chains from the operating licence and the operation manual.
- 2) Only permissible at vehicle models, which are allowed to use steel wheels as standard.
- 33) The standard fixing parts and accessories of the vehicle manufacturer for the corresponding series-wheel must be used.